

ALASKA 426

Creation date 31st January 2022
Revision date Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Alaska 426

Substance / mixture : Neosynthetic fluid for metal machining

1.2. Relevant identified uses of the substance or mixture and uses advised against Mixture's intended use

metalworking fluid

Mixture uses advised against

not available

1.3. Details of the supplier of the safety data sheet

Distributor

Name or trade name Wolfmach
Address 46 Wilson Street, Wanganui 4500, New Zealand
0508 124 125

Phone

E-mail customercare@wolfmach.com

Competent person responsible for the safety data sheet

Name Nick Forrest

E-mail customercare@wolfmach.com

1.4. Emergency telephone number

Technical Helpline NZ: 0800 582 326
New Zealand National Poisons Centre: 0800 764 766

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

Information concerning particular hazards for human and environment:

No other risk.

2.2. Label elements

Hazard pictogram

The product has not been classified and marked in accordance with Regulation (EC)

No 1272/2008.

Symbols:

None

Hazard statement(s):

None.

Precautionary statements:

None.

2.3. Other hazards

No PBT nor mPmB substance, no endocrine disruptor present at a concentration $\geq$ 0.1%

Other warnings:

None

ALASKA 426

Creation date	31st January 2022	Version	1.0
Revision date			

SECTION 3: Composition/information on ingredients

3.1. Substances

N/A

3.2. Mixtures

Chemical characterization

Dangerous substances according to CLP Regulation and corresponding classification:

<0.25% 1,2-Ethanediamine, N,N,N',N'-tetramethyl-, polymer with 1,1'-oxybis(2-chloroethane)

 3.1/4/Inhal Acute Tox. 4 H332

 3.1/4/Oral Acute Tox. 4 H302

 4.1/C1 Aquatic Chronic 1 H410

SECTION 4: First aid measures

4.1. Description of first aid measures

Skin Contact

Wash with soap and water.

Eye Contact

Immediately wash with water and Contact a physician at once.

Ingestion

Do not induce vomiting in any case. IMMEDIATELY SEEK MEDICAL ADVICE.

Inhalation

Ventilate the affected area. Have affected person leave the area and rest in a well ventilated area. In case of sickness, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

None.

4.3. Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Recommendation:

Water, CO2.

Unsuitable extinguishing media

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale gases produced by the explosion and combustion.

Burning produces heavy smokes.

5.3. Advice for firefighters

Use appropriate respiratory equipment.

Collect separately contaminated water used to extinguish the fire. Do not discharge into the sewer.

Is possible, from the point of view of safety, immediately remove the containers undamaged area.

ALASKA 426

Creation date	31st January 2022	Version	1.0
Revision date			

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8.

6.2. Environmental precautions

In order to prevent outlet to the surroundings, put up waste collecting trays/basins. Avoid spreading to lakes, streams, sewers etc. In case of an outlet, to the surroundings, contact the local environmental government.

6.3. Methods and material for containment and cleaning up

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. If possible, clean with cleaning supplies. Solvents should be avoided.

6.4. Reference to other sections

See the Sections 8 and 13.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Avoid contact with skin and eyes, inhalation of vapors and mists.

Do not eat or drink during use.

Reference sections 8 (exposure controls/personal protection).

7.2. Conditions for safe storage, including any incompatibilities

Avoid contact with eat, drink.

Incompatible materials:

None.

Warehouse conditions:

Suitably ventilated areas.

7.3. Specific end use(s)

No particular uses

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

Level of exposure DNEC

N.A

Level of exposure PNEC

N.A

8.2. Exposure controls

General precautions: Suitably ventilate areas where the product is stored and/or used.

Personal protective equipment:

General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection: Not required.

Protection of hands: Protective gloves (the glove material has to be impermeable and resistant to the product/ the substance/ the preparation).

Eye protection: Tightly sealed goggles

Goggles recommended during refilling

Appropriate engineering controls: None

ALASKA 426

Creation date 31st January 2022

Revision date

Version

1.0

SECTION 9: Physical and chemical properties

9.1.

Property	Value
Appearance and color:	Transparent liquid, slightly yellow
Smell:	Characteristic
Odor threshold:	N.D.
pH (5%):	8
Melting point / freezing point:	N.A.
Initial point and boiling range:	N.D.
Flash point;	N.D.
Evaporation rate:	N.D.
Flammability (solid / gas);	N.A.
Upper / lower limit of flammability or explosiveness	N.D.
Vapor pressure:	N.D.
Vapor density:	N.D.
Relative density (20°C):	1.06 g/cm ³
Solubility (s);	In water emulsifiable
Solubility in oil:	N.D.
N-octanol / water partition coefficient;	N.D.
Spontaneous ignition temperature	N.D.
Decomposition temperature:	N.D.
Viscosity:	N.D.
Explosive properties:	N.D.
Combustive properties:	N.D.

9.2. Additional Information

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is stable under normal conditions.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

None specific.

10.4. Conditions to avoid

The product is stable under normal conditions.

10.5. Incompatible materials

No specific instructions.

10.6. Hazardous decomposition products

None.

ALASKA 426

Creation date 31st January 2022

Revision date Version 1.0

SECTION 11: Toxicological information**11.1. Information on toxicological effects**

Toxicological information relating to the mix:

N.A.

Toxicological information relating to the main substances in the mixture: N.A.

Unless specified otherwise, the data required by Regulation (UE)2020/878 listed below should be NA:

- a) acute toxicity;
- b) corrosion or skin irritation;
- c) serious injury or irritation;
- d) respiratory or skin sensitization;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) Specific target organ toxicity (STOT) - single exposure;
- i) Specific target organ

11.2. Information on other hazards

Endocrine disruptive properties

No endocrine disruptor present at a concentration $\geq 0.1\%$ **SECTION 12: Ecological information****12.1. Toxicity**

Use suitable working methods, avoiding dispersion of the product into the environment.

12.2. Persistence and degradability

NA.

12.3. Bioaccumulative potential

NA.

12.4. Mobility in soil

NA.

12.5. Results of PBT and vPvB assessment

Substances vPvB ; None

Substances PBT: Nones

12.6. Properties of endocrine alterationNo endocrine disruptor present at a concentration $\geq 0.1\%$ **12.7. Other adverse effects**

None

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Recover used product if possible. Use in accordance with legal regulations or common industrial practice.

ALASKA 426

Creation date	31st January 2022	Version	1.0
Revision date			

SECTION 14 Transport information**14.1. UN number**

Product is not dangerous according to current transport regulations

14.2. UN proper shipping name

N.A

14.3. Transport hazard class(es)

N.A

14.4. Packing group

N.A

14.5. Environmental hazards

N.A

14.6. Special precautions for user

N.A

14.7. Maritime transport in bulk according to IMO instruments

N.A.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Dir. 98/24/EC (Risks related to chemical agents during work)

Dir 2000/39/EC (Occupational Exposure Limits)

Dir 2006/8/EC

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (UE) n. 758/2013

Regulation (UE) n. 2020/878

Regulation (UE) n. 286/2011 (ATP 2 CLP)

Regulation (UE) n. 618/2012 (ATP 3 CLP)

Regulation (UE) n. 487/2013 (ATP 4 CLP)

Regulation (UE) n. 944/2013 (ATP 5 CLP)

Page n°. 8 de 9

Regulation (UE) n. 605/2014 (ATP 6 CLP)

Regulation (UE) n. 2015/1221 (ATP 7 CLP)

Regulation (UE) n. 2016/918 (ATP 8 CLP)

Regulation (UE) n. 2016/1179 (ATP 9 CLP)

Regulation (UE) n. 2017/776 (ATP 10 CLP)

Regulation (UE) n. 2018/669 (ATP 11 CLP)

Regulation (UE) n. 2018/1480 (ATP 13 CLP)

Regulation (UE) n. 2019/521 (ATP 12 CLP)

Restrictions relating to the product or contained substances according to Annex XVII of Regulation (EC) 1907/2006 (REACH) and subsequent amendments:

None.

Where applicable, refer to the following standards:

Directive 2012/18/EU (Seveso III).

Regulation (EC) No 648/2004 (detergents).

Dir.2004/42/CE (directive COV)

Provisions on EU Directive 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1.

None

15.2. Chemical safety assessment : None

ALASKA 426

Creation date 31st January 2022

Revision date

Version

1.0

SECTION 16 Other information

Text of phrases referred to under heading 3:

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H332 Harmful if inhaled

This document has been prepared by a competent person who has received adequate training

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinhold

CCNL - Allegato 1 "TLV of 1989-90"

Indicate additional literature consulted

The information contained here is based on our knowledge at the date indicated above. It refers solely to the product indicated and constitutes no guarantee of particular quality.

The user must ensure the adequacy and accuracy of this information in relation to the specific use of the product should do.

This MSDS cancel and replaces any preceding release.

Page n°. 9 de 9

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS = Chemical Abstracts Service (American Chemical Society).

CLP: Classification, labeling, packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

ETA: Estimation of acute toxicity

ETAmix: Estimation of acute toxicity (mixtures)

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of classification and labeling of chemicals.

IATA: International Air Transport Association.

IATA-DGR: Standards applied to dangerous goods by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation.

ICAO-TI: Technical Instructions "Organization International Civil Aviation" (ICAO).

IMDG: International Maritime Dangerous Goods.

INCI: International Nomenclature of Cosmetic Ingredients.

KST: coefficient explosion.

LC50: Lethal concentration for 50% of the exposed population.

LD50: Lethal dose for 50% of the exposed population.

LTE: Long-term exposure.

PNEC: predicted no effect concentration

RID: Regulations concerning the international carriage of dangerous goods by rail.

STE: Short-term exposure.

STEL: level of short-term exposure.

STOT: Specific target organ toxicity.

TLV: Threshold Limit Value.

TWATLV: threshold limit value time weighted average of eight hours per day (Standard ACGIH).

WGK: Hazard class for water (Germany).

ALASKA 426

Creation date 31st January 2022

Revision date Version 1.0

**ALASKA 426****HIGH PRECISION FORMULA
CUTTING FLUID**

- Advanced Fully Synthetic
- High performance formulation
- Dilutes to solution, not emulsion
- Corrosion protection properties
- Lasting stability & long shelf life



Distributed by
 **WOLFMACH**
0508 124 125

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.